

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1429109</b>		<b>QS Kona DRY 1.2LB PAK</b>	
Product specification	<b>RS_FP_606356</b>	Revision Date	<b>02/27/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1429109</b>	Page	Page 1 of 10

## SECTION 1. IDENTIFICATION

Product name : **1429109**  
QS Kona DRY 1.2LB PAK

Material number : **1429109**

### Manufacturer or supplier's details

Company name of supplier : Ferro Corporation  
Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185  
Telephone : (216) 875-5600

### Emergency telephone number

In-Country Number : (800)424-9300  
CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

### Recommended use of the chemical and restrictions on use

Recommended use : Consult the technical guidelines for the use of this substance/mixture.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Not a hazardous substance or mixture.

### GHS Label element

Not a hazardous substance or mixture.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : metal oxide/hydroxide, organic dye, inorganic pigment, inorganic salt

### Hazardous components

Chemical Name	CAS-No.	Concentration (%)
C.I. Pigment Blue 15	147-14-8	>= 30 - < 50
Co-Al spinel blue CI Pigment Blue 28	1345-16-0	>= 20 - < 30
barium sulphate	7727-43-7	>= 20 - < 30
dichromium trioxide	1308-38-9	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.  
If inhaled : Remove to fresh air.  
If symptoms persist, call a physician.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1429109</b>		<b>QS Kona DRY 1.2LB PAK</b>	
Product specification	<b>RS_FP_606356</b>	Revision Date	<b>02/27/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1429109</b>	Page	Page 2 of 10

In case of skin contact : If skin irritation persists, call a physician.  
In case of eye contact : Rinse immediately with plenty of water and seek medical advice.  
If swallowed : If accidentally swallowed obtain immediate medical attention.  
Most important symptoms and effects, both acute and delayed : None known.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.  
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.  
Environmental precautions : Do not allow uncontrolled discharge of product into the environment.  
Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.  
Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Blue 15	147-14-8	TWA	1 mg/m <sup>3</sup> (Copper)	NIOSH REL
Co-Al spinel blue CI Pigment Blue 28	1345-16-0	TWA	0.02 mg/m <sup>3</sup> (Cobalt)	ACGIH
		PEL	0.1 mg/m <sup>3</sup>	OSHA P0

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1429109</b>	<b>QS Kona DRY 1.2LB PAK</b>		
Product specification	<b>RS_FP_606356</b>	Revision Date	<b>02/27/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1429109</b>	Page	Page 3 of 10

			(Cobalt)	
		PEL	0.05 mg/m <sup>3</sup> (Cobalt)	NIOSH REL
barium sulphate	7727-43-7	TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup>	OSHA P0
		TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
dichromium trioxide	1308-38-9	TWA	0.5 mg/m <sup>3</sup> (chromium)	OSHA Z-1
		TWA	0.5 mg/m <sup>3</sup> (chromium)	ACGIH
		TWA	1 mg/m <sup>3</sup>	OSHA P0
		TWA	0.5 mg/m <sup>3</sup> (chromium)	NIOSH REL
		TWA	1 mg/m <sup>3</sup> (chromium)	OSHA Z-1

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Co-Al spinel blue CI Pigment Blue 28	1345-16-0	Cobalt	Urine		0.015 mg/l	ACGIH BEI
		Cobalt	Blood		0.001 mg/l	ACGIH BEI

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
Provide adequate ventilation.

### Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hand protection : For prolonged or repeated contact use protective gloves.
- Eye protection : Safety glasses
- Protective measures : Wear suitable protective equipment.  
When using do not eat, drink or smoke.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1429109</b>		<b>QS Kona DRY 1.2LB PAK</b>	
Product specification	<b>RS_FP_606356</b>	Revision Date	<b>02/27/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1429109</b>	Page	Page 4 of 10

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder  
Colour : blue  
Odour : odourless  
Odour Threshold : No data available

Melting point/freezing point : No data available  
Boiling point/boiling range : No data available  
Flash point : Not applicable  
Upper explosion limit : No data available

Lower explosion limit : No data available

Relative vapour density : No data available  
Solubility(ies)  
Water solubility : insoluble

Auto-ignition temperature : Not determined  
Oxidizing properties : No data available  
Refractive index : Not applicable

Volatile organic compounds (VOC) content : 0 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : The product is chemically stable.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

1429109		QS Kona DRY 1.2LB PAK	
Product specification	RS_FP_606356	Revision Date	02/27/2020
Version	1.0	Print Date	02/28/2020
Material number	1429109	Page	Page 5 of 10

### ***C.I. Pigment Blue 15:***

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

### ***Co-Al spinel blue CI Pigment Blue 28:***

Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

### ***dichromium trioxide:***

Acute oral toxicity : LD50 (Rat, male and female): 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

## **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### ***Co-Al spinel blue CI Pigment Blue 28:***

Species: Rabbit  
Exposure time: 4 h  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

#### ***dichromium trioxide:***

Species: Rabbit  
Exposure time: 24 h  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

## **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### ***Co-Al spinel blue CI Pigment Blue 28:***

Species: Rabbit  
Result: No eye irritation  
Exposure time: 1 h  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
GLP: yes

## **Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1429109</b>		<b>QS Kona DRY 1.2LB PAK</b>	
Product specification	<b>RS_FP_606356</b>	Revision Date	<b>02/27/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1429109</b>	Page	Page 6 of 10

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

## STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

## STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Co-Al spinel blue CI Pigment Blue 28:**

Toxicity to fish : LC50 (Fish): 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 10,000 mg/l  
Exposure time: 48 h

##### **dichromium trioxide:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: ISO 7346/1  
GLP: yes

## Persistence and degradability

#### Components:

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429109		QS Kona DRY 1.2LB PAK	
Product specification	RS_FP_606356	Revision Date	02/27/2020
Version	1.0	Print Date	02/28/2020
Material number	1429109	Page	Page 7 of 10

### ***C.I. Pigment Blue 15:***

Biodegradability : Remarks: No data available

### ***Co-Al spinel blue CI Pigment Blue 28:***

Biodegradability : Remarks: No data available

### ***barium sulphate:***

Biodegradability : Remarks: No data available

### ***dichromium trioxide:***

Biodegradability : Remarks: No data available

## **Bioaccumulative potential**

### **Components:**

#### ***C.I. Pigment Blue 15:***

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Pow: 6.6 (25 °C)

#### ***Co-Al spinel blue CI Pigment Blue 28:***

Bioaccumulation : Remarks: No data available

#### ***barium sulphate:***

Bioaccumulation : Remarks: No data available

#### ***dichromium trioxide:***

Bioaccumulation : Remarks: No data available

## **Mobility in soil**

### **Components:**

#### ***C.I. Pigment Blue 15:***

Distribution among environmental compartments : Remarks: No data available

#### ***Co-Al spinel blue CI Pigment Blue 28:***

Distribution among environmental compartments : Remarks: No data available

#### ***barium sulphate:***

Distribution among environmental compartments : Remarks: No data available

#### ***dichromium trioxide:***

Distribution among environmental compartments : Remarks: No data available

## **Other adverse effects**

### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429109		QS Kona DRY 1.2LB PAK	
Product specification	RS_FP_606356	Revision Date	02/27/2020
Version	1.0	Print Date	02/28/2020
Material number	1429109	Page	Page 8 of 10

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

## SECTION 14. TRANSPORT INFORMATION

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA\_12b - Not relevant

**TSCA list** : TSCA 5a - Not relevant

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This product contains components that are reportable under the regulation.



# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429109		QS Kona DRY 1.2LB PAK	
Product specification	RS_FP_606356	Revision Date	02/27/2020
Version	1.0	Print Date	02/28/2020
Material number	1429109	Page	Page 9 of 10

Cobalt, inorganic compounds

Chromium III Compounds

## Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product contains components that are reportable under the regulation.

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains components that are reportable under the regulation.

## Massachusetts Right To Know

This product contains components that are reportable under the regulation.

## Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

## New Jersey Right To Know

This product contains components that are reportable under the regulation.

## California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## The components of this product are reported in the following inventories:

- EINECS (European Union) : On the inventory, or in compliance with the inventory
- SWISS (Switzerland) : On the inventory, or in compliance with the inventory
- TSCA (United States) : On TSCA Inventory
- DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.
- AICS (Australia) : On the inventory, or in compliance with the inventory
- NZioC (New Zealand) : On the inventory, or in compliance with the inventory
- ENCS (Japan) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1429109</b>		<b>QS Kona DRY 1.2LB PAK</b>	
Product specification	<b>RS_FP_606356</b>	Revision Date	<b>02/27/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1429109</b>	Page	Page 10 of 10

- ISHL (Japan) : On the inventory, or in compliance with the inventory
- KECI (Korea) : On the inventory, or in compliance with the inventory
- PICCS (Philippines) : On the inventory, or in compliance with the inventory
- IECSC (China) : On the inventory, or in compliance with the inventory
- TCSI (Taiwan) : On the inventory, or in compliance with the inventory
- CICR (Turkey) : On the inventory, or in compliance with the inventory
- INSQ (Mexico) : On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

Revision Date : 02/27/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN