

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 1 of 10

### **SECTION 1. IDENTIFICATION**

Product name : 1429112

QS Mohave Beige DRY 3.2LB PAK

Material number : 1429112

Manufacturer or supplier's details

Company name of supplier : Ferro Corporation

Address : 6060 Parkland Blvd. Suite 250

Mayfield Heights OH 44124-4185

Telephone : (216) 875-5600

**Emergency telephone number** 

In-Country Number : (800)424-9300

CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Consult the technical guidelines for the use of this

substance/mixture.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Carcinogenicity : Category 1A

**GHS Label element** 

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before

use.

P202 Do not handle until all safety

precautions have been read and

understood.

P280 Wear protective gloves/ protective

clothing/ eye protection/ face

protection.

Response:

P308 + P313 IF exposed or concerned: Get

medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

QS Mohave Beige DRY 3.2LB PAK 1429112 Product specification **Revision Date** RS\_FP\_606359 02/27/2020 Version 1.0 Print Date 02/28/2020 Material number 1429112 Page Page 2 of 10

approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : metal oxide/hydroxide, silicatic material

### **Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
quartz	14808-60-7	>= 20 - < 30
mica	12001-26-2	>= 10 - < 20
manganese dioxide	1313-13-9	>= 1 - < 5
diiron trioxide	1309-37-1	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice : Consult a physician. If inhaled Remove to fresh air.

If symptoms persist, call a physician.

If skin irritation persists, call a physician. In case of skin contact

: Rinse immediately with plenty of water and seek medical In case of eye contact

advice.

If swallowed

: May cause cancer.

Most important symptoms and effects, both acute and

delayed

: If accidentally swallowed obtain immediate medical attention.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Do not allow uncontrolled discharge of product into the

environment.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 3 of 10

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling Conditions for safe storage

: Avoid inhalation, ingestion and contact with skin and eyes.: Keep container tightly closed in a dry and well-ventilated

place.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
quartz	14808-60-7	TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	OSHA CARC
mica	12001-26-2	TWA (Respirable fraction)	3 mg/m3	ACGIH
		TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	3 mg/m3	NIOSH REL
		TWA (respirable dust fraction)	3 mg/m3	OSHA P0
manganese dioxide	1313-13-9	С	5 mg/m3 (Manganese)	OSHA Z-1
		С	5 mg/m3 (Manganese)	OSHA P0
		TWA	1 mg/m3 (Manganese)	NIOSH REL
		ST	3 mg/m3 (Manganese)	NIOSH REL
		TWA (Inhalable fraction)	0.1 mg/m3 (Manganese)	ACGIH



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429112		QS Mohave Beige D	QS Mohave Beige DRY 3.2LB PAK	
Product specification	RS_FP_606359	Revision Date	02/27/2020	
Version	1.0	Print Date	02/28/2020	
Material number	1429112	Page	Page 4 of 10	

		TWA (Respirable fraction)	0.02 mg/m3 (Manganese)	ACGIH
diiron trioxide	1309-37-1	TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

**Engineering measures** : Apply technical measures to comply with the occupational

exposure limits.

Provide adequate ventilation.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : Wear suitable protective equipment.

When using do not eat, drink or smoke.

Hygiene measures : Wash hands before breaks and immediately after handling

the product.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder
Colour : beige
Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : No data available Boiling point/boiling range : No data available Flash point : Not applicable Upper explosion limit : No data available

Lower explosion limit : No data available

Relative vapour density

Solubility(ies)

: No data available

Water solubility : insoluble

Auto-ignition temperature : Not determined Oxidizing properties : No data available Refractive index : Not applicable

Volatile organic compounds

(VOC) content

: 0 %

This product does not contain any chemicals listed under the



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 5 of 10

U.S. Clean Air Act Section 111 SOCMI Intermediate or Final

VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed

under the U.S. Clean Air Act Section 450.

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

### **Acute toxicity**

Not classified based on available information.

### Components:

quartz:

Acute oral toxicity : LD50 Oral (Rat): 500 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

manganese dioxide:

Acute oral toxicity : LD50 Oral (Rat, male): 9,000 mg/kg

diiron trioxide:

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

# diiron trioxide:

Species: Rabbit Exposure time: 4 h

Assessment: No skin irritation Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

### Serious eye damage/eye irritation

Not classified based on available information.

# **Components:**

diiron trioxide:



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 6 of 10

Species: Rabbit

Result: No eye irritation Assessment: No eye irritation Method: OECD Test Guideline 405

GLP: yes

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### **Components:**

manganese dioxide:

Remarks: Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

May cause cancer.

IARC Group 1: Carcinogenic to humans

quartz 14808-60-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP Known to be human carcinogen

quartz 14808-60-7

### Reproductive toxicity

Not classified based on available information.

# STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

### STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

# **Components:**

diiron trioxide:

Toxicity to fish : LC0 (Fish): > 1,000 mg/l



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 7 of 10

Exposure time: 96 h

### Persistence and degradability

**Components:** 

quartz:

Biodegradability : Remarks: No data available

mica:

Biodegradability : Remarks: No data available

manganese dioxide:

Biodegradability : Remarks: No data available

diiron trioxide:

Biodegradability : Remarks: No data available

**Bioaccumulative potential** 

Components:

quartz:

Bioaccumulation : Remarks: No data available

mica:

Bioaccumulation : Remarks: No data available

manganese dioxide:

Bioaccumulation : Remarks: No data available

diiron trioxide:

Bioaccumulation : Remarks: No data available

Mobility in soil

Components:

quartz:

Distribution among : Remarks: No data available

environmental compartments

mica:

Distribution among : Remarks: No data available

environmental compartments

manganese dioxide:

Distribution among : Remarks: No data available

environmental compartments

diiron trioxide:

Distribution among : Remarks: No data available

environmental compartments

Other adverse effects

**Product:** 



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 8 of 10

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of wastes in an approved waste disposal facility.

#### **SECTION 14. TRANSPORT INFORMATION**

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

TSCA list : TSCA\_12b - Not relevant

TSCA list : TSCA 5a - Not relevant

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 9 of 10

SARA 313 : This product contains components that are reportable under

the regulation.

Manganese Compounds

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product contains components that are reportable under the regulation.

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### Massachusetts Right To Know

This product contains components that are reportable under the regulation.

Pennsylvania Right To Know

This product contains components that are reportable under

the regulation.

**New Jersey Right To Know** 

This product contains components that are reportable under

the regulation.

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

# The components of this product are reported in the following inventories:

EINECS (European Union) : On the inventory, or in compliance with the inventory

SWISS (Switzerland) : On the inventory, or in compliance with the inventory

TSCA (United States) : On TSCA Inventory

DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.

AICS (Australia) : On the inventory, or in compliance with the inventory

NZioC (New Zealand) : On the inventory, or in compliance with the inventory

ENCS (Japan) : On the inventory, or in compliance with the inventory



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1429112
 QS Mohave Beige DRY 3.2LB PAK

 Product specification
 RS\_FP\_606359
 Revision Date
 02/27/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1429112
 Page
 Page 10 of 10

ISHL (Japan) : Not in compliance with the inventory

KECI (Korea) : On the inventory, or in compliance with the inventory

PICCS (Philippines) : On the inventory, or in compliance with the inventory

IECSC (China) : On the inventory, or in compliance with the inventory

TCSI (Taiwan) : On the inventory, or in compliance with the inventory

CICR (Turkey) : On the inventory, or in compliance with the inventory

INSQ (Mexico) : On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 02/27/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN