

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	Page 1 of 10

## SECTION 1. IDENTIFICATION

Product name : **1435836**  
40-81009 QS Onyx LIQ Bottle

Material number : **1435836**

### Manufacturer or supplier's details

Company name of supplier : Ferro Corporation  
Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185  
Telephone : (216) 875-5600

### Emergency telephone number

In-Country Number : (800)424-9300  
CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

### Recommended use of the chemical and restrictions on use

Recommended use : Consult the technical guidelines for the use of this  
substance/mixture.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Eye irritation : Category 2A

Carcinogenicity : Category 1A

### GHS Label element

Hazard pictograms :  

Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.  
H350 May cause cancer.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before  
use.  
P202 Do not handle until all safety  
precautions have been read and  
understood.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective  
clothing/ eye protection/ face  
protection.

**Response:**

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	<b>Page 2 of 10</b>

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : metal oxide/hydroxide, inorganic pigment, water, salt of organic acids/bases

### Hazardous components

Chemical Name	CAS-No.	Concentration (%)
carbon black	1333-86-4	>= 10 - < 20
docusate sodium	577-11-7	>= 1 - < 5
quartz	14808-60-7	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.  
If inhaled : Remove to fresh air.  
If symptoms persist, call a physician.  
In case of skin contact : If skin irritation persists, call a physician.  
In case of eye contact : Rinse immediately with plenty of water and seek medical advice.  
If swallowed : If accidentally swallowed obtain immediate medical attention.  
Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause cancer.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.  
Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	<b>Page 3 of 10</b>

for firefighters

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Do not allow uncontrolled discharge of product into the environment.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carbon black	1333-86-4	TWA	3.5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3.5 mg/m <sup>3</sup>	OSHA Z-1
		TWA	3.5 mg/m <sup>3</sup>	OSHA P0
		TWA	0.1 mg/m <sup>3</sup> (PAHs)	NIOSH REL
quartz	14808-60-7	TWA (Inhalable fraction)	3 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable fraction)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	OSHA CARC

### Hazardous components without workplace control parameters

Components	CAS-No.
------------	---------

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	<b>Page 4 of 10</b>

| docusate sodium | 577-11-7 |

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
Provide adequate ventilation.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Hand protection : For prolonged or repeated contact use protective gloves.  
Eye protection : Safety glasses  
Protective measures : Wear suitable protective equipment.  
When using do not eat, drink or smoke.  
Hygiene measures : Wash hands before breaks and immediately after handling the product.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste  
Colour : black  
Odour : characteristic  
Odour Threshold : No data available

Melting point/freezing point : No data available  
Boiling point/boiling range : No data available  
Flash point : No data available  
Upper explosion limit : No data available

Lower explosion limit : No data available

Relative vapour density : No data available  
Solubility(ies)  
Water solubility : soluble

Auto-ignition temperature : Not determined  
Oxidizing properties : No data available  
Refractive index : No data available

Volatile organic compounds (VOC) content : This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).  
This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : The product is chemically stable.

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	Page 5 of 10

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
 Method: Calculation method

#### Components:

##### **carbon black:**

Acute oral toxicity : LD50 Oral (Rat): > 15,400 mg/kg

##### **docusate sodium:**

Acute oral toxicity : LD50 Oral (Rat): > 3,000 mg/kg  
 Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg  
 Method: OECD Test Guideline 402

##### **quartz:**

Acute oral toxicity : LD50 Oral (Rat): 500 mg/kg  
 Assessment: The substance or mixture has no acute oral toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **docusate sodium:**

Species: Rabbit  
 Method: OECD Test Guideline 404  
 Result: Irritating to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### **docusate sodium:**

Species: Rabbit  
 Result: Risk of serious damage to eyes.  
 Exposure time: 72 h  
 Method: OECD Test Guideline 405

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	Page 6 of 10

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

May cause cancer.

### IARC

Group 1: Carcinogenic to humans

quartz

14808-60-7

Group 2B: Possibly carcinogenic to humans

carbon black

1333-86-4

### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### NTP

Known to be human carcinogen

quartz

14808-60-7

## Reproductive toxicity

Not classified based on available information.

## STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

## STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### ***docosate sodium:***

Toxicity to fish : LC50 (Fish): 20 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 36 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: static test

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	<b>Page 7 of 10</b>

## Persistence and degradability

### Components:

#### **carbon black:**

Biodegradability : Remarks: No data available

#### **docusate sodium:**

Biodegradability : Remarks: No data available

#### **quartz:**

Biodegradability : Remarks: No data available

## Bioaccumulative potential

### Components:

#### **carbon black:**

Bioaccumulation : Remarks: No data available

#### **docusate sodium:**

Bioaccumulation : Remarks: No data available

#### **quartz:**

Bioaccumulation : Remarks: No data available

## Mobility in soil

### Components:

#### **carbon black:**

Distribution among environmental compartments : Remarks: No data available

#### **docusate sodium:**

Distribution among environmental compartments : Remarks: No data available

#### **quartz:**

Distribution among environmental compartments : Remarks: No data available

## Other adverse effects

### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	<b>Page 8 of 10</b>

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

## SECTION 14. TRANSPORT INFORMATION

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

### 49 CFR

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA\_12b - Not relevant

**TSCA list** : TSCA 5a - Not relevant

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methyloxirane	75-56-9	100	*
formaldehyde	50-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methyloxirane	75-56-9	100	*
formaldehyde	50-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Chronic Health Hazard  
Acute Health Hazard



# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	Page 9 of 10

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product contains components that are reportable under the regulation.

This product contains components that are reportable under the regulation.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### Massachusetts Right To Know

This product contains components that are reportable under the regulation.

### Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

### New Jersey Right To Know

This product contains components that are reportable under the regulation.

### California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

### The components of this product are reported in the following inventories:

EINECS (European Union) : Not in compliance with the inventory

SWISS (Switzerland) : Not in compliance with the inventory

TSCA (United States) : On TSCA Inventory

DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.

AICS (Australia) : On the inventory, or in compliance with the inventory

NZioC (New Zealand) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1435836</b>		<b>40-81009 QS Onyx LIQ Bottle</b>	
Product specification	<b>RS_FP_606373</b>	Revision Date	<b>02/28/2020</b>
Version	<b>1.0</b>	Print Date	<b>02/28/2020</b>
Material number	<b>1435836</b>	Page	Page 10 of 10

---

ENCS (Japan)	: On the inventory, or in compliance with the inventory
ISHL (Japan)	: Not in compliance with the inventory
KECI (Korea)	: On the inventory, or in compliance with the inventory
PICCS (Philippines)	: On the inventory, or in compliance with the inventory
IECSC (China)	: On the inventory, or in compliance with the inventory
TCSI (Taiwan)	: On the inventory, or in compliance with the inventory
CICR (Turkey)	: Not in compliance with the inventory
INSQ (Mexico)	: Not in compliance with the inventory

## SECTION 16. OTHER INFORMATION

Revision Date : 02/28/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN