

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	RS_FP_606094	Revision Date	07/23/2019
Version	1.0	Print Date	08/15/2019
Material number	1433286	Page	Page 1 of 12

## SECTION 1. IDENTIFICATION

Product name : **1433286**  
40-41007 SS Emerald LIQ Bottle

Material number : **1433286**

### Manufacturer or supplier's details

Company name of supplier : Ferro Corporation

Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185

Telephone : (216) 875-5600

### Emergency telephone number

In-Country Number : (800)424-9300

CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

### Recommended use of the chemical and restrictions on use

Recommended use : Consult the technical guidelines for the use of this  
substance/mixture.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Eye irritation : Category 2A

Carcinogenicity : Category 2

### GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before  
use.  
P202 Do not handle until all safety  
precautions have been read and

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	RS_FP_606094	Revision Date	07/23/2019
Version	1.0	Print Date	08/15/2019
Material number	1433286	Page	Page 2 of 12

P264  
P280

**Response:**  
P305 + P351 +  
P338

P308 + P313

P337 + P313

**Disposal:**  
P501

understood.  
Wash skin thoroughly after handling.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.

Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : water, salt of organic acids/bases, inorganic pigment, organic dye, metal oxide/hydroxide

### Hazardous components

Chemical Name	CAS-No.	Concentration (%)
dichromium trioxide	1308-38-9	>= 30 - < 50
carbon black	1333-86-4	>= 5 - < 10
C.I. Pigment Green 7	1328-53-6	>= 5 - < 10
C.I. Pigment Blue 15	147-14-8	>= 1 - < 5
docusate sodium	577-11-7	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.

If inhaled : Remove to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

In case of eye contact : Rinse immediately with plenty of water and seek medical advice.

If swallowed : If accidentally swallowed obtain immediate medical attention.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	RS_FP_606094	Revision Date	07/23/2019
Version	1.0	Print Date	08/15/2019
Material number	1433286	Page	Page 3 of 12

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
Suspected of causing cancer.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Do not allow uncontrolled discharge of product into the environment.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dichromium trioxide	1308-38-9	TWA	0.5 mg/m <sup>3</sup> (chromium)	OSHA Z-1
		TWA	0.5 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	<b>Page 4 of 12</b>

			(chromium)	
		TWA	1 mg/m3	OSHA P0
		TWA	0.5 mg/m3 (chromium)	NIOSH REL
		TWA	1 mg/m3 (chromium)	OSHA Z-1
carbon black	1333-86-4	TWA	3.5 mg/m3	NIOSH REL
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		TWA	0.1 mg/m3 (PAHs)	NIOSH REL
		TWA (Inhalable fraction)	3 mg/m3	ACGIH
C.I. Pigment Green 7	1328-53-6	TWA	1 mg/m3 (Copper)	NIOSH REL
C.I. Pigment Blue 15	147-14-8	TWA	1 mg/m3 (Copper)	NIOSH REL

### Hazardous components without workplace control parameters

Components	CAS-No.
docusate sodium	577-11-7

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
Provide adequate ventilation.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : Wear suitable protective equipment.  
When using do not eat, drink or smoke.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : green

Odour : odourless

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	Page 5 of 12

Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Relative vapour density	:	No data available
Density	:	1.35 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Auto-ignition temperature	:	Not determined
Oxidizing properties	:	No data available
Refractive index	:	No data available
Volatile organic compounds (VOC) content	:	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1433286	RS_FP_606094	40-41007 SS Emerald LIQ Bottle	07/23/2019
Product specification	RS_FP_606094	Revision Date	07/23/2019
Version	1.0	Print Date	08/15/2019
Material number	1433286	Page	Page 6 of 12

## Components:

### ***dichromium trioxide:***

Acute oral toxicity : LD50 (Rat, male and female): 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

### ***carbon black:***

Acute oral toxicity : LD50 Oral (Rat): > 15,400 mg/kg

### ***C.I. Pigment Green 7:***

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat, male): > 5,000 mg/kg

### ***C.I. Pigment Blue 15:***

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

### ***docosate sodium:***

Acute oral toxicity : LD50 Oral (Rat): > 3,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg  
Method: OECD Test Guideline 402

## **Skin corrosion/irritation**

Not classified based on available information.

## Components:

### ***dichromium trioxide:***

Species: Rabbit  
Exposure time: 24 h  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

### ***docosate sodium:***

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Irritating to skin.

## **Serious eye damage/eye irritation**

Causes serious eye irritation.

## Components:

### ***docosate sodium:***

Species: Rabbit

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	Page 7 of 12

Result: Risk of serious damage to eyes.  
Exposure time: 72 h  
Method: OECD Test Guideline 405

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.  
Respiratory sensitisation: Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Suspected of causing cancer.

### IARC

Group 2B: Possibly carcinogenic to humans

carbon black

1333-86-4

### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

## STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

## STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### ***dichromium trioxide:***

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: ISO 7346/1  
GLP: yes

#### ***C.I. Pigment Green 7:***

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 752.4 mg/l

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	Page 8 of 12

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 500 mg/l  
Exposure time: 48 h

***docusate sodium:***

Toxicity to fish : LC50 (Fish): 20 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 36 mg/l  
Exposure time: 48 h  
Test Type: static test

## Persistence and degradability

**Components:**

***dichromium trioxide:***

Biodegradability : Remarks: No data available

***carbon black:***

Biodegradability : Remarks: No data available

***C.I. Pigment Green 7:***

Biodegradability : Remarks: No data available

***C.I. Pigment Blue 15:***

Biodegradability : Remarks: No data available

***docusate sodium:***

Biodegradability : Remarks: No data available

## Bioaccumulative potential

**Components:**

***dichromium trioxide:***

Bioaccumulation : Remarks: No data available

***carbon black:***

Bioaccumulation : Remarks: No data available

***C.I. Pigment Green 7:***

Bioaccumulation : Remarks: No data available

***C.I. Pigment Blue 15:***

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Pow: 6.6 (25 °C)

***docusate sodium:***



# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	<b>Page 9 of 12</b>

Bioaccumulation : Remarks: No data available

## Mobility in soil

### Components:

#### ***dichromium trioxide:***

Distribution among environmental compartments : Remarks: No data available

#### ***carbon black:***

Distribution among environmental compartments : Remarks: No data available

#### ***C.I. Pigment Green 7:***

Distribution among environmental compartments : Remarks: No data available

#### ***C.I. Pigment Blue 15:***

Distribution among environmental compartments : Remarks: No data available

#### ***docusate sodium:***

Distribution among environmental compartments : Remarks: No data available

## Other adverse effects

### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

## SECTION 14. TRANSPORT INFORMATION

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	Page 10 of 12

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA\_12b - Not relevant

**TSCA list** : TSCA 5a - Not relevant

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methyloxirane	75-56-9	100	*
formaldehyde	50-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methyloxirane	75-56-9	100	*
formaldehyde	50-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Chronic Health Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This product contains components that are reportable under the regulation.

Chromium III Compounds

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product contains components that are reportable under the regulation.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	Page 11 of 12

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product contains components that are reportable under the regulation.

This product contains components that are reportable under the regulation.

This product contains components that are reportable under the regulation.

### Massachusetts Right To Know

This product contains components that are reportable under the regulation.

### Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

### New Jersey Right To Know

This product contains components that are reportable under the regulation.

### California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

### The components of this product are reported in the following inventories:

EINECS (European Union)	: Not in compliance with the inventory
SWISS (Switzerland)	: Not in compliance with the inventory
TSCA (United States)	: On TSCA Inventory
DSL/NDSL (Canada)	: All components of this product are on the Canadian DSL.
AICS (Australia)	: On the inventory, or in compliance with the inventory
NZioC (New Zealand)	: On the inventory, or in compliance with the inventory
ENCS (Japan)	: On the inventory, or in compliance with the inventory
ISHL (Japan)	: On the inventory, or in compliance with the inventory
KECI (Korea)	: On the inventory, or in compliance with the inventory
PICCS (Philippines)	: On the inventory, or in compliance with the inventory
IECSC (China)	: On the inventory, or in compliance with the inventory
TCSI (Taiwan)	: On the inventory, or in compliance with the inventory
CICR (Turkey)	: Not in compliance with the inventory

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1433286</b>		<b>40-41007 SS Emerald LIQ Bottle</b>	
Product specification	<b>RS_FP_606094</b>	Revision Date	<b>07/23/2019</b>
Version	<b>1.0</b>	Print Date	<b>08/15/2019</b>
Material number	<b>1433286</b>	Page	<b>Page 12 of 12</b>

---

## SECTION 16. OTHER INFORMATION

Revision Date : 07/23/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN